



Product Service

CERTIFICATE

No. Z1A 12 08 29312 015

Holder of Certificate: KEMMLIT-Bauelemente GmbH
 Maltschachstr. 37
 72144 Dußlingen
 GERMANY

Factory(ies): 29312

Certification Mark:



Product: Screens
 Partition wall system for public sanitary facilities

Model(s): NOXX TR (Dry area)
 NOXX NR (wet area)
 NOXX GL (glass)

Parameters: NOXX partition wall system

Height: 2135 mm doors and wall elements
 Ground clearance: 70 mm
 Door widths: 570 mm, 650 mm, 750 mm

NOXX TR: Doors and walls consist of 30 mm scratch high-density melamine resin coated particle.

NOXX NR: Doors and walls consist of 30 mm aluminium composite elements with a special profile.

NOXX GL: The glass elements consist of 10 mm colour-enamelled toughened safety glass.

Tested according to: PPP 52192A:2007

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 713010046-1

Valid until: 2017-08-19

(Karl-Heinz Bauer)

Date, 2012-08-20

Page 1 of 1

